this Court for a certificate under Act, VII of 1901, to collect debts payable in respect of the estate of A. Fakeerappa, B. Mahadevappa and P. Siddappa, deceased, resident of Ukkadagatri in Harihar Sub-Taluk.

Notice is hereby given of the said application and all claimants in the estate of the said A. Fakeerappa, B. Mahadevappa and P. Siddappa, residents of Ukkadagatri, Harihar Taluk, deceased, are invited to appear in this Court on Friday the 7th day of June 1940, when the petition of the said Ningavva, daughter, of A. Fakeerappa of Ukkadagatri, applicant, will be heard, and the right to the certificate will be determined.

Given under my hand and the seal of the Court, this 14th day of May 1940.,

K. R. THIMMARAYA SETTY,
Munsiff.

136 THE BANK OF MYSORE, LIMITED, BANGALORE.

Statement of the affairs of the Bank of Mysore, Limited, for the week ending 17th May 1940, published under Article 141 of the Articles of Association.

LIABILITIES	Rs.	ASSETS	Rs.
To Capital Receipts	20,00,000	By Cash in hand and at Bankers ..	43,33,715
„ Reserve Fund	27,00,000	„ Loans and Cash Credit Accounts	1,94,49,640
„ Public and other Deposits	3,06,49,350	„ Bills discounted and purchased ..	11,40,721
„ Sundries	4,94,123	„ Investments	97,50,803
		„ Balance at Agencies	
		„ Dead Stock	10,22,838
		„ Sundries	1,45,736
Total Rs.	3,58,43,453	Total Rs.	3,58,43,453

(Annas and pies omitted.)

BANGALORE,
Dated 21st May 1940.

F. L. PERADON,
Manager.

129 NOTIFICATION.

The Mysore Government Promissory Note No. C. 003199 of the 6¼ per cent Loan of 1940 for Rs. 50 only originally standing in the name of Thammegowda by whom it was never endorsed to any other person having been lost, notice is hereby given that payment of the above note and the interest thereupon has been stopped by the Comptroller to the Government of His Highness the Maharaja of Mysore and that application is about to be made for the issue of duplicate in favour of the proprietor. The public are cautioned against purchasing or otherwise dealing with the abovementioned security.

ನಂಗಮ್ಮನ ಎಡದ ಹೆಬ್ಬೆಟ್ಟಿನ ಗುರ್ತಿನ ರುಜುವಿಗೆ

M. ಬಸವರಾಜೇ ಅರಸಿನ ನಾಕ್ಕೆ—M. ಬಸವರಾಜೇ ಅರಸು.

GOVERNMENT OF MYSORE, STORES PURCHASE COMMITTEE, BANGALORE.

No. S. P. C. 35855-77, dated 15—16th May 1940.

To

The Firms dealing in Hardware Materials.

Enquiry No. 4042.

MATERIALS REQUIRED FOR EXTENDING TELEPHONE LINES FROM GAMANAHALLI TO MALVALLI.

GENTLEMEN,

In continuation of this office Circular No. S. P. C. 34585-607, dated 3rd May 1940, forwarding a copy of the above enquiry, I write to request you to include the following item also to the schedule attached to the enquiry and quote your best prices for the material noted hereunder along with the other materials.

	Quantity required.
Item 3. Galvanised wire No. 14 BWG.	400 lbs.

The quotation should be for delivery f.o.r., Mandya.

No. S. P. C. 35541-6, *dated* 13*th May* 1940.

To

The Firms dealing in Chemicals.

Enquiry No. 4048.

CHLORIDE OF LIME, ETC.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the schedule printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Chloride of Lime, etc.", with the above enquiry Number.

This enquiry will be closed on the 31st May 1940.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	*Time of* delivery
			Bangalore	
1	Chloride of Lime	6 cwts.		
2	Kymac Cattle Dip	6 gallons		

No. S. P. C. 35523-30, *dated* 13*th May* 1940.

To

The Firms dealing in Teakwood shutters and gear rods.

Enquiry No. 4050.

TEAKWOOD SHUTTERS AND GEAR RODS FOR IRWIN CANAL DIVISION.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule, in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Teakwood Shutters and Gear Rods with the above enquiry Number.

This enquiry will be closed on the 31st of May 1940.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
			Mandya.	
1	Shutters of well seasoned teakwood of the required thickness braced on both sides with $\frac{3}{8}'' \times 2''$ flat iron bars alround and providing the eye and eye bolt for connecting to the gear rod. Rivets to be countersunk.			
	$1\frac{1}{2}''$ thick per Sq. ft. about	100 Sq.ft.		
	2" do do	100 ,,		
	$2\frac{1}{2}''$ do do	50 ,,		
	3" do do ..	50 ,,		
2	Mild steel gear rod with square threads cut on it (Right handed) to suit Kits Patent boxes of sizes with eye hole in rod for connecting bolt.			
	$1\frac{1}{2}''$ dia. cost per ft. of threaded portion ..			
	$1\frac{1}{2}''$ dia. do unthreaded portion			
	2" dia. do threaded portion ..			
	2" dia. do unthreaded portion			
	$2\frac{1}{2}''$ dia. do threaded portion ..			
	$2\frac{1}{2}''$ dia do unthreaded portion			
	3" dia. do threaded portion ..			
	3" dia. do unthreaded portion			

Blue print showing the dimensions of the shutters and rods in general terms can be had from the undersigned on application. Details of dimensions will be furnished as and when orders are placed. The size of rods vary from $1\frac{1}{2}''$ to 3" in diameter and also the thickness of teakwood shutters.

This enquiry will be subject to the following conditions.

The rates quoted should hold good for one year from the date of acceptance of tender.

No definite quantity of materials can be guaranteed to be purchased under any of the items. The contract should be deemed to be limited to the actual quantity to be purchased.

The indents of the Executive Engineer, Irwin Canal Division, Mandya, should be complied with within a week after their receipt.

No. S. P: C. 35633-50, *dated 13th May* 1940.

To

The Firms dealing in Hardware Materials.

Enquiry No. 4053.

HARDWARE MATERIALS FOR JOG WATER SUPPLY.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Hardware Materials for Jog Water Supply", with the above enquiry number.

This enquiry will be closed on the 31st May 1940.

Schedule.

Item N9.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
			Sagar.	
1	Pipe, galvanised iron 4″	80 ft.		
2	Pipe, galvanised iron 1½″	4,000 ,,		
3	Do do ¾″	2,500 ,,		
4	Elbows, galvanised iron 1½″	100		
5	Do do ¾″	200		
6	Tees, galvanised iron 1½″	100		
7	Do do ¾″	250		
8	Collars, galvanised iron 1½″	100		
9	Do do ¾″	150		
10	Bends, galvanised iron 4″	6		
11	Bends, cost iron with spigot and socket 3″ ..	10		
12	Bends, galvanised iron 1½″	100		
13	Do do ¾″	150		
14	Reducers, galvanised iron 1½″ to ¾″	100		
15	Reducing tees, iron 1½″ to ¾″	200		
16	Wheel valves, gun metal 4″	1		
17	Do do 3″	5		
18	Do do 1½″	10		
19	Do do ¾″	20		
20	Plugs, galvanised iron 1½″	30		
21	Do do ¾″	30		
22	Unions, galvanised iron 1½″	50		
23	Do do ¾″	50		
24	Non-return Reflex valve 3″	2		
25	Brass Screw down bib cocks ¾″	250		
26	Pig lead	1,000 lbs.		
27	Hemp rope (yarn)	200 ft.		
28	Red lead powder	28 lbs.		

Yours faithfully,
H. NIRANJAN RAJ URS,
Secretary,
Stores Purchase Committee.

No. S. P. C. 35845-53, dated 16th May 1940.

To

The Firms dealing in Steel Cupboards.

Enquiry No. 4058.

STEEL CUPBOARD REQUIRED FOR THE GENERAL AND REVENUE SECRETARIAT.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule for delivery in Office at Bangalore,

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Steel Cupboards, G. R. S.," with the above enquiry Number.

This enquiry will be closed on the 1st June 1940.

SCHEDULE.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
	Steel Shelving Cupboards of the dimensions given below:—			
	Width. *Depth.* *Height.*			
	2¼ ft. 1½ ft. 8½ ft.	1		
	3 ,, 1½ ,, 8½ ,,	13		
	3½ ,, 1½ ,, 8½ ,,	3		
	4 ,, 1½ ,, 8½ ,,	7		
	4½ ,, 1½ ,, 8½ ,,	4		
	5 ,, 1½ ,, 8½ ,,	2		
	3 ,, 1½ ,, 6 ,,	12		

The Cupboards should be provided with a clearance at the bottom of 3". Doors should be provided up to a height of 6 ft. The rest to be open. Angle posts to be of 13 gauge and punched every 2" for adjustment. The shelves should be made of 18 gauge steel plates, folded box type for additional strength.

The sheet up-rights and backs should be of 20 gauge steel. The doors are to be of 20 gauge steel bent up around for strength and appearance. Hinges to be electrically welded to the door and hinge angle. There should be a hinge angle for the full height of door made of 13 gauge steel and perforated with slots on one side for bolting to posts. The same bolts that secure front of shelves should secure hinge angle to posts. Each door to be equipped with a hinge angle. A 20 gauge reinforcing channel should be welded to each door running from top to bottom. Each door should have Jappaned drop-forged steel knob and three steel fast pin hinges.

The doors to be provided with three-way locking and fitted with a strong lock with duplicate keys.

The whole Cupboard to be finished with Olive Green, non-chipping anti-rust proof enamel.

Yours faithfully,
MIR SAFDAR HUSSAIN,
Secretary,
Stores Purchase Committee.